

## 1: LIST OF PUBLICATIONS

1. Ventafridda V, Spoldi E, Caraceni A, De Conno F. Intraspinal morphine for cancer pain. *Acta Anaesthesiol Scand Suppl.* 1987;85:47-53
2. Ventafridda V, Oliveri E, Caraceni A, Spoldi E, De Conno F, Saita L, Ripamonti G. A retrospective study on the use of oral morphine in cancer pain. *J Pain Symptom Manage.* 1987 Spring;2(2):77-81
3. Ventafridda V, Tamburini M, Caraceni A, De Conno F, Naldi F. A validation study of the WHO method for cancer pain relief. *Cancer.* 1987 Feb 15;59(4):850-6.
4. Ventafridda V, Bonezzi C, Caraceni A, De Conno F, Guarise G, Ramella G, Saita L, Silvani V, Tamburini M, Toscani F. Antidepressants for cancer pain and other painful syndromes with deafferentation component: comparison of amitriptyline and trazodone. *Ital J Neurol Sci.* 1987 Dec;8(6):579-87
5. Ventafridda V, Caraceni A, Saita L, Bonezzi C, De Conno F, Guarise G, Ramella G, Silvani V, Tamburini M, Toscani F. Trazodone for deafferentation pain. Comparison with amitriptyline. *Psychopharmacology (Berl).* 1988;95 Suppl:S44-9.
6. Ventafridda GV, Caraceni AT, Sbanotto AM, Barletta L, De Conno F. Pain treatment in cancer of the pancreas. *Eur J Surg Oncol.* 1990 Feb;16(1):1-6
7. Ventafridda V, Ripamonti C, Caraceni A, Spoldi E, Messina L, De Conno F. The management of inoperable gastrointestinal obstruction in terminal cancer patients. *Tumori.* 1990 Aug 31;76(4):389-93.
8. Ventafridda V, Caraceni A, Martini C, Sbanotto A, De Conno F. On the significance of Lhermitte's sign in oncology. *J Neurooncol.* 1991 Apr;10(2):133-7.
9. Ventafridda V, Caraceni A. Cancer pain classification: a controversial issue. *Pain.* 1991 Jul;46(1):1-2.
10. De Conno F, Caraceni A, Zecca E, Spoldi E, Ventafridda V. Continuous subcutaneous infusion of hyoscine butylbromide reduces secretions in patients with gastrointestinal obstruction. *J Pain Symptom Manage.* 1991 Nov;6(8):484-6.
11. De Conno F, Caraceni A, Martini C, Spoldi E, Salvetti M, Ventafridda V. Hyperalgesia and myoclonus with intrathecal infusion of high-dose morphine. *Pain.* 1991 Dec;47(3):337-9.
12. Mercadante S, Spoldi E, Caraceni A, Maddaloni S, Simonetti MT. Octreotide in relieving gastrointestinal symptoms due to bowel obstruction. *Palliat Med.* 1993;7(4):295-9
13. Caraceni A, Martini C, Belli F, Mascheroni L, Rivoltini L, Arienti F, Cascinelli N. Neuropsychological and neurophysiological assessment of the central effects of interleukin-2 administration. *Eur J Cancer.* 1993;29A(9):1266-9.

14. De Conno F, Caraceni A, Aldrighetti L, Magnani G, Ferla G, Comi G, Ventafridda V. Paraplegia following coeliac plexus block. *Pain*. 1993 Dec;55(3):383-5
15. Bortolussi R, Fabiani F, Savron F, Testa V, Lazzarini R, Sorio R, De Conno F, Caraceni A. Acute morphine intoxication during high-dose recombinant interleukin-2 treatment for metastatic renal cell cancer. *Eur J Cancer*. 1994;30A(12):1905-7.
16. De Conno F, Zecca E, Martini C, Ripamonti C, Caraceni A, Saita L. Tolerability of ketorolac administered via continuous subcutaneous infusion for cancer pain: a preliminary report. *J Pain Symptom Manage*. 1994 Feb;9(2):119-21.
17. De Conno F, Caraceni A, Gamba A, Mariani L, Abbattista A, Brunelli C, La Mura A, Ventafridda V. Pain measurement in cancer patients: a comparison of six methods. *Pain*. 1994 May;57(2):161-6
18. Capri G, Munzone E, Tarenzi E, Fulfaro F, Gianni L, Caraceni A, Martini C, Scaioli V. Optic nerve disturbances: a new form of paclitaxel neurotoxicity. *J Natl Cancer Inst*. 1994 Jul 20;86(14):1099-101.
19. Caraceni A, Martini C, De Conno F, Ventafridda V. Organic brain syndrome and opioid administration for cancer pain. *J Pain Symptom Manage*. 1994 Nov;9(8):527-33
20. Scaioli V, Caraceni A, Martini C, Palazzini E, Tarenzi E, Fulfaro F, Munzone E. Visual evoked potentials findings in course of paclitaxel doxorubicin combination chemotherapy. Report of a case. *J Neurooncol*. 1995;25(3):221-5.
21. Gianni L, Munzone E, Capri G, Villani F, Spreafico C, Tarenzi E, Fulfaro F, Caraceni A, Martini C, Laffranchi A, et al. Paclitaxel in metastatic breast cancer: a trial of two doses by a 3-hour infusion in patients with disease recurrence after prior therapy with anthracyclines. *J Natl Cancer Inst*. 1995 Aug 2;87(15):1169-75
22. Gianni L, Munzone E, Capri G, Fulfaro F, Tarenzi E, Villani F, Spreafico C, Laffranchi A, Caraceni A, Martini C, et al. Paclitaxel by 3-hour infusion in combination with bolus doxorubicin in women with untreated metastatic breast cancer: high antitumor efficacy and cardiac effects in a dose-finding and sequence-finding study. *J Clin Oncol*. 1995 Nov;13(11):2688-99
23. Terenziani M, Demicheli R, Brambilla C, Ferrari L, Moliterni A, Zambetti M, Caraceni A, Martini C, Bonadonna G. Vinorelbine: an active, non cross-resistant drug in advanced breast cancer. Results from a phase II study. *Breast Cancer Res Treat*. 1996;39(3):285-91
24. Caraceni A. Clinicopathologic correlates of common cancer pain syndromes. *Hematol Oncol Clin North Am*. 1996 Feb;10(1):57-78
25. Caraceni A, Mendoza TR, Mencaglia E, Baratella C, Edwards K, Forjaz MJ, Martini C, Serlin RC, de Conno F, Cleeland CS. A validation study of an Italian version of the Brief Pain Inventory (Breve Questionario per la Valutazione del Dolore). *Pain*. 1996 Apr;65(1):87-92.

26. De Conno F, Caraceni A, Groff L, Brunelli C, Donati I, Tamburini M, Ventafridda V. Effect of home care on the place of death of advanced cancer patients. *Eur J Cancer*. 1996 Jun;32A(7):1142-7
27. Caraceni A, Portenoy RK. Pain management in patients with pancreatic carcinoma. *Cancer*. 1996 Aug 1;78(3 Suppl):639-53
28. Maltoni M, Pirovano M, Nanni O, Marinari M, Indelli M, Gramazio A, Terzoli E, Luzzani M, De Marinis F, Caraceni A, Labianca R. Biological indices predictive of survival in 519 Italian terminally ill cancer patients. Italian Multicenter Study Group on Palliative Care. *J Pain Symptom Manage*. 1997 Jan;13(1):1-9
29. Caraceni A, Martini C, Spatti G, Thomas A, Onofri M. Recovering optic neuritis during systemic cisplatin and carboplatin chemotherapy. *Acta Neurol Scand*. 1997 Oct;96(4):260-1
30. Caraceni A, Martini C, Zecca E, De Conno F, Portenoy RK. Pain due to epidural tumor in cancer patients. Report of two cases and differential diagnosis. *Ital J Neurol Sci*. 1997 Oct;18(5):303-7
31. Caraceni A, De Conno F. Analgesic effects of chemotherapy? *J Clin Oncol*. 1998 Feb;16(2):803.
32. Caraceni A, Gangeri L, Martini C, Belli F, Brunelli C, Baldini M, Mascheroni L, Lenisa L, Cascinelli N. Neurotoxicity of interferon-alpha in melanoma therapy: results from a randomized controlled trial. *Cancer*. 1998 Aug 1;83(3):482-9.
33. De Conno F, Martini C, Zecca E, Balzarini A, Venturino P, Groff L, Caraceni A. Megestrol acetate for anorexia in patients with far-advanced cancer: a double-blind controlled clinical trial. *Eur J Cancer*. 1998 Oct;34(11):1705-9.
34. Formaglio F, Caraceni A. Meningeal metastases: clinical aspects and diagnosis. *Ital J Neurol Sci*. 1998 Jun;19(3):133-49
35. Böhm S, Oriana S, Spatti G, Di Re F, Breasciani G, Pirovano C, Grosso I, Martini C, Caraceni A, Pilotti S, Zunino F. Dose intensification of platinum compounds with glutathione protection as induction chemotherapy for advanced ovarian carcinoma. *Oncology*. 1999;57(2):115-20
36. Caraceni A, Zecca E, Martini C, De Conno F. Gabapentin as an adjuvant to opioid analgesia for neuropathic cancer pain. *J Pain Symptom Manage*. 1999 Jun; 17(6):441-5
37. Caraceni A, Portenoy RK. An international survey of cancer pain characteristics and syndromes. IASP Task Force on Cancer Pain. International Association for the Study of Pain. *Pain*. 1999 Sep;82(3):263-74.
38. Caraceni A, Scolari S, Gallino G, Simonetti F. Meningeal metastases from malignant melanoma presenting with gaze-evoked tinnitus. *Neurology*. 1999 Dec 10;53(9):2207-8

39. Caraceni A. The contribution of neurophysiology to the diagnosis of leptomeningeal metastases. *Neurol Sci*. 2000 Apr;21(2):65-6
40. Caraceni A, Nanni O, Maltoni M, Piva L, Indelli M, Arnoldi E, Monti M, Montanari L, Amadori D, De Conno F. Impact of delirium on the short term prognosis of advanced cancer patients. Italian Multicenter Study Group on Palliative Care. *Cancer*. 2000 Sep 1;89(5):1145-9.
41. Ripamonti C, Zecca E, Brunelli C, Groff L, Boffi R, Caraceni A, Galeazzi G, Martini C, Panzeri C, Saita L, Viggiano V, De Conno F. Pain experienced by patients hospitalized at the National Cancer Institute of Milan: research project "towards a pain-free hospital". *Tumori*. 2000 Sep-Oct;86(5):412-8
42. Grassi L, Caraceni A, Beltrami E, Borreani C, Zamorani M, Maltoni M, Monti M, Luzzani M, Mercadante S, De Conno F. Assessing delirium in cancer patients: the Italian versions of the Delirium Rating Scale and the Memorial Delirium Assessment Scale. *J Pain Symptom Manage*. 2001 Jan;21(1):59-68
43. Caraceni A, Gorni G, Zecca E, De Conno F. More on the use of nonsteroidal anti-inflammatories in the management of cancer pain. *J Pain Symptom Manage*. 2001 Feb;21(2):89-91
44. Caraceni A, Zecca E, Martini C, De Conno F. Differences in gabapentin efficacy for cancer pain more apparent than real? *J Pain Symptom Manage*. 2001 Feb;21(2):93-4
45. De Conno F, Ripamonti C, Caraceni A, Saita L. Palliative care at the National Cancer Institute of Milan. *Support Care Cancer*. 2001 May;9(3):141-7.
46. Caraceni A. Evaluation and assessment of cancer pain and cancer pain treatment. *Acta Anaesthesiol Scand*. 2001 Oct;45(9):1067-75.
47. Caraceni A, Weinstein SM. Classification of cancer pain syndromes. *Oncology (Williston Park)*. 2001 Dec;15(12):1627-40, 1642; discussion 1642-3, 1646-7.
48. Mercadante S, Radbruch L, Caraceni A, Cherny N, Kaasa S, Nauck F, Ripamonti C, De Conno F; Steering Committee of the European Association for Palliative Care (EAPC) Research Network. Episodic (breakthrough) pain: consensus conference of an expert working group of the European Association for Palliative Care. *Cancer*. 2002 Feb 1;94(3):832-9
49. Caraceni A, Cherny N, Fainsinger R, Kaasa S, Poulain P, Radbruch L, De Conno F. Pain measurement tools and methods in clinical research in palliative care: recommendations of an Expert Working Group of the European Association of Palliative Care. *J Pain Symptom Manage*. 2002 Mar;23(3):239-55
50. Caraceni A, Andreola S, Simonetti F, Celio L. Acute confusional state with fatal outcome in a cancer patient. *Neurol Sci*. 2004 Feb;24(6):424-5
51. Caraceni A, Martini C, Zecca E, Portenoy RK, Ashby MA, Hawson G, Jackson KA, Lickiss N, Muirden N, Pisasale M, Moulin D, Schulz VN, Rico Pazo MA, Serrano JA, Andersen H,

- Henriksen HT, Mejholm I, Sjogren P, Heiskanen T, Kalso E, Pere P, Poyhia R, Vuorinen E, Tigerstedt I, Ruismaki P, Bertolino M, Larue F, Ranchere JY, Hege-Scheuing G, Bowdler I, Helbing F, Kostner E, Radbruch L, Kastrinaki K, Shah S, Vijayaram S, Sharma KS, Devi PS, Jain PN, Ramamani PV, Beny A, Brunelli C, Maltoni M, Mercadante S, Plancarte R, Schug S, Engstrand P, Ovalle AF, Wang X, Alves MF, Abrunhosa MR, Sun WZ, Zhang L, Gazizov A, Vaisman M, Rudoy S, Gomez Sancho M, Vila P, Trelis J, Chaudakshetrin P, Koh ML, Van Dongen RT, Vielvoye-Kerkmeer A, Boswell MV, Elliott T, Hargus E, Lutz L; Working Group of an IASP Task Force on Cancer Pain. Breakthrough pain characteristics and syndromes in patients with cancer pain. An international survey. *Palliat Med.* 2004 Apr;18(3):177-83
52. Caraceni A, Galbiati A, Brunelli C, Gorni G, Martini C, Zecca E, De Conno F. Cancer patient compliance in the self-administration of a pain assessment tool. *J Pain Symptom Manage.* 2004 May;27(5):417-24
53. Caraceni A, Zecca E, Bonezzi C, Arcuri E, Yaya Tur R, Maltoni M, Visentin M, Gorni G, Martini C, Tirelli W, Barbieri M, De Conno F. Gabapentin for neuropathic cancer pain: a randomized controlled trial from the Gabapentin Cancer Pain Study Group. *J Clin Oncol.* 2004 Jul 15;22(14):2909-17
54. Caraceni A, Simonetti F. Psychostimulants: new concepts for palliative care from the modafinil experience? *J Pain Symptom Manage.* 2004 Aug;28(2):97-9.
55. Caraceni A, Brunelli C, Martini C, Zecca E, De Conno F. Cancer pain assessment in clinical trials. A review of the literature (1999-2002). *J Pain Symptom Manage.* 2005 May;29(5):507-19.
56. Bianchi G, Vitali G, Caraceni A, Ravaglia S, Capri G, Cundari S, Zanna C, Gianni L. Symptomatic and neurophysiological responses of paclitaxel- or cisplatin-induced neuropathy to oral acetyl-L-carnitine. *Eur J Cancer.* 2005 Aug;41(12):1746-50
57. Maltoni M, Caraceni A, Brunelli C, Broeckaert B, Christakis N, Eychmueller S, Glare P, Nabal M, Viganò A, Larkin P, De Conno F, Hanks G, Kaasa S; Steering Committee of the European Association for Palliative Care. Prognostic factors in advanced cancer patients: evidence-based clinical recommendations--a study by the Steering Committee of the European Association for Palliative Care. *J Clin Oncol.* 2005 Sep 1;23(25):6240-8
58. Spinazzé S, Caraceni A, Schrijvers D. Epidural spinal cord compression. *Crit Rev Oncol Hematol.* 2005 Dec;56(3):397-406
59. Bonito V, Caraceni A, Borghi L, Marcello N, Mori M, Porteri C, Casella G, Causarano R, Gasparini M, Colombi L, Defanti CA; SIN Bioethics and Palliative Care Study Group. The clinical and ethical appropriateness of sedation in palliative neurological treatments. *Neurol Sci.* 2005 Dec;26(5):370-85.
60. Apolone G, Bertetto O, Caraceni A, Corli O, De Conno F, Labianca R, Maltoni M, Nicora M, Torri V, Zucco F; Cancer Pain Outcome Research Study Group. Pain in cancer. An outcome research project to evaluate the epidemiology, the quality and the effects of pain treatment in cancer patients. *Health Qual Life Outcomes.* 2006 Feb 2;4:7

61. Scaioli V, Caraceni A, Martini C, Curzi S, Capri G, Luca G. Electrophysiological evaluation of visual pathways in paclitaxel-treated patients. *J Neurooncol.* 2006 Mar;77(1):79-87
62. Cicero G, Fulfaro F, Caraceni A, Arcara C, Badalamenti G, Intrivici C, Gebbia N. A case of Guillain-Barré syndrome in a patient with non small cell lung cancer treated with chemotherapy. *J Chemother.* 2006 Jun;18(3):325-7
63. Bosisio M, Caraceni A, Grassi L; Italian Delirium Study Group. Phenomenology of delirium in cancer patients, as described by the Memorial Delirium Assessment Scale (MDAS) and the Delirium Rating Scale (DRS). *Psychosomatics.* 2006 Nov-Dec;47(6):471-8
64. Hølen JC, Hjermstad MJ, Loge JH, Fayers PM, Caraceni A, De Conno F, Forbes K, Fürst CJ, Radbruch L, Kaasa S. Pain assessment tools: is the content appropriate for use in palliative care? *J Pain Symptom Manage.* 2006 Dec;32(6):567-80
65. Gangeri L, Bosisio M, Brunelli C, Tamburini M, Serafin P, Clerici CA, Caraceni A, Mazzaferro V. Phenomenology and emotional impact of neuropsychiatric symptoms in orthotopic liver transplant for hepatocellular carcinoma. *Transplant Proc.* 2007 Jun;39(5):1564-8
66. Cavaletti G, Frigeni B, Lanzani F, Piatti M, Rota S, Briani C, Zara G, Plasmati R, Pastorelli F, Caraceni A, Pace A, Manicone M, Lissoni A, Colombo N, Bianchi G, Zanna C; Italian NETox Group. The Total Neuropathy Score as an assessment tool for grading the course of chemotherapy-induced peripheral neurotoxicity: comparison with the National Cancer Institute-Common Toxicity Scale. *J Peripher Nerv Syst.* 2007 Sep;12(3):210-5.
67. Radbruch L, Strasser F, Elsner F, Gonçalves JF, Løge J, Kaasa S, Nauck F, Stone P; Research Steering Committee of the European Association for Palliative Care (EAPC). Fatigue in palliative care patients -- an EAPC approach. *Palliat Med.* 2008 Jan;22(1):13-32
68. Tassinari D, Montanari L, Maltoni M, Ballardini M, Piancastelli A, Musi M, Porzio G, Minotti V, Caraceni A, Poggi B, Stella A, Aielli F, Scarpi E. The palliative prognostic score and survival in patients with advanced solid tumors receiving chemotherapy. *Support Care Cancer.* 2008 Apr;16(4):359-70
69. Caraceni A, Zecca E, Martini C, Pigni A, Bracchi P. Gabapentin for breakthrough pain due to bone metastases. *Palliat Med.* 2008 Jun;22(4):392-3
70. Kaasa S, Loge JH, Fayers P, Caraceni A, Strasser F, Hjermstad MJ, Higginson I, Radbruch L, Haugen DF. Symptom assessment in palliative care: a need for international collaboration. *J Clin Oncol.* 2008 Aug 10;26(23):3867-73.
71. Greco MT, Deandrea S, Corli O, Montanari M, Caraceni A, Apolone G; Cancer Pain Outcome Research Study Group. [Effects of transdermal buprenorphine in cancer patients. Results from the Cancer Pain Outcome Research (CPOR) Study Group]. *Recenti Prog Med.* 2008 Nov;99(11):538-51. Italian.

72. Hjermstad MJ, Gibbins J, Haugen DF, Caraceni A, Loge JH, Kaasa S; EPCRC, European Palliative Care Research Collaborative. Pain assessment tools in palliative care: an urgent need for consensus. *Palliat Med.* 2008 Dec;22(8):895-903.
73. Laugsand EA, Kaasa S, de Conno F, Hanks G, Klepstad P; Research Steering Committee of the EAPC. Intensity and treatment of symptoms in 3,030 palliative care patients: a cross-sectional survey of the EAPC Research Network. *J Opioid Manag.* 2009 Jan-Feb;5(1):11-21
74. Helbostad JL, Hølen JC, Jordhøy MS, Ringdal GI, Oldervoll L, Kaasa S; European Association for Palliative Care (EAPC) Research Network. A first step in the development of an international self-report instrument for physical functioning in palliative cancer care: a systematic literature review and an expert opinion evaluation study. *J Pain Symptom Manage.* 2009 Feb;37(2):196-205.
75. Caraceni A, Simonetti F. Palliating delirium in patients with cancer. *Lancet Oncol.* 2009 Feb;10(2):164-72.
76. Rayner L, Loge JH, Wasteson E, Higginson IJ; EPCRC, European Palliative Care Research Collaborative. The detection of depression in palliative care. *Curr Opin Support Palliat Care.* 2009 Mar;3(1):55-60
77. Apolone G, Corli O, Caraceni A, Negri E, Deandrea S, Montanari M, Greco MT; Cancer Pain Outcome Research Study Group (CPOR SG) Investigators. Pattern and quality of care of cancer pain management. Results from the Cancer Pain Outcome Research Study Group. *Br J Cancer.* 2009 May 19;100(10):1566-74.
78. Knudsen AK, Aass N, Fainsinger R, Caraceni A, Klepstad P, Jordhøy M, Hjermstad MJ, Kaasa S. Classification of pain in cancer patients--a systematic literature review. *Palliat Med.* 2009 Jun;23(4):295-308.
79. Caraceni A, De Conno F, Kaasa S, Radbruch L, Hanks G. Update on cancer pain guidelines. *J Pain Symptom Manage.* 2009 Sep;38(3):e1-3.
80. Kaasa S, Mercadante S, Caraceni A. Cancer pain--progress and ongoing issues in Europe. *Pain Res Manag.* 2009 Sep-Oct;14(5):353-5.
81. Apolone G, Corli O, Negri E, Mangano S, Montanari M, Greco MT; Cancer Pain Outcome Research Study Group (CPOR SG) Investigators, Apolone G, Bertetto O, Caraceni A, Corli O, De Conno F, Labianca R, Maltoni M, Nicora Maria F, Torri V, Zucco F. Effects of transdermal buprenorphine on patients-reported outcomes in cancer patients: results from the Cancer Pain Outcome Research (CPOR) Study Group. *Clin J Pain.* 2009 Oct;25(8):671-82
82. Wasteson E, Brenne E, Higginson IJ, Hotopf M, Lloyd-Williams M, Kaasa S, Loge JH; European Palliative Care Research Collaborative (EPCRC). Depression assessment and classification in palliative cancer patients: a systematic literature review. *Palliat Med.* 2009 Dec;23(8):739-53.

83. Caraceni A, Cavaliere F, Galante D, Landoni G. A year in Review in Minerva Anestesiologica, 2009. Minerva Anesthesiol. 2010 Feb;76(2):158-68.
84. Caraceni A, Zecca E, Martini C, Brunelli C, Pigni A, Gorni G, Galbiati A, Ibazeta M, Hjermsstad M, Kaasa S. The validity of average 8-h pain intensity assessment in cancer patients. Eur J Pain. 2010 Apr;14(4):441-5.
85. Kaasa S, Caraceni A. Palliative cancer care research. Palliat Med. 2010 Apr;24(3):259-60.
86. Brunelli C, Zecca E, Martini C, Campa T, Fagnoni E, Bagnasco M, Lanata L, Caraceni A. Comparison of numerical and verbal rating scales to measure pain exacerbations in patients with chronic cancer pain. Health Qual Life Outcomes. 2010 Apr 22;8:42
87. Haugen DF, Hjermsstad MJ, Hagen N, Caraceni A, Kaasa S; European Palliative Care Research Collaborative (EPCRC). Assessment and classification of cancer breakthrough pain: a systematic literature review. Pain. 2010 Jun;149(3):476-82.
88. Beccaro M, Caraceni A, Costantini M; ISDOC Study Group. End-of-life care in Italian hospitals: quality of and satisfaction with care from the caregivers' point of view--results from the Italian Survey of the Dying of Cancer. J Pain Symptom Manage. 2010 Jun;39(6):1003-15
89. Pigni A, Brunelli C, Gibbins J, Hanks G, Deconno F, Kaasa S, Klepstad P, Radbruch L, Caraceni A. Content development for EUROPEAN GUIDELINES on the use of opioids for cancer pain: a systematic review and Expert Consensus Study. Minerva Anesthesiol. 2010 Oct;76(10):833-43.
90. Scarpi E, Maltoni M, Miceli R, Mariani L, Caraceni A, Amadori D, Nanni O. Survival prediction for terminally ill cancer patients: revision of the palliative prognostic score with incorporation of delirium. Oncologist. 2011;16(12):1793-9.
91. Knudsen AK, Brunelli C, Kaasa S, Apolone G, Corli O, Montanari M, Fainsinger R, Aass N, Fayers P, Caraceni A, Klepstad P; European Palliative Care Research Collaborative; European Pharmacogenetic Study. Which variables are associated with pain intensity and treatment response in advanced cancer patients?--Implications for a future classification system for cancer pain. Eur J Pain. 2011 Mar;15(3):320-7.
92. Klepstad P, Fladvad T, Skorpen F, Bjordal K, Caraceni A, Dale O, Davies A, Kloke M, Lundström S, Maltoni M, Radbruch L, Sabatowski R, Sigurdardottir V, Strasser F, Fayers PM, Kaasa S; European Palliative Care Research Collaborative (EPCRC); European Association for Palliative Care Research Network. Influence from genetic variability on opioid use for cancer pain: a European genetic association study of 2294 cancer pain patients. Pain. 2011 May;152(5):1139-45.
93. Hjermsstad MJ, Fayers PM, Haugen DF, Caraceni A, Hanks GW, Loge JH, Fainsinger R, Aass N, Kaasa S; European Palliative Care Research Collaborative (EPCRC). Studies comparing Numerical Rating Scales, Verbal Rating Scales, and Visual Analogue Scales for assessment of pain intensity in adults: a systematic literature review. J Pain Symptom Manage. 2011 Jun;41(6):1073-93

94. Raijmakers NJ, van Zuylen L, Costantini M, Caraceni A, Clark J, Lundquist G, Voltz R, Ellershaw JE, van der Heide A; OPCARE9. Artificial nutrition and hydration in the last week of life in cancer patients. A systematic literature review of practices and effects. *Ann Oncol*. 2011 Jul;22(7):1478-86
95. Rizzi F, Pizzuto M, Lodetti L, Corli O, Da Col D, Damiani ME, Mihali D, Piva L, Saita L, Vinci M, Bonaldi A; Milan Palliative Care Group Investigators. Quality for home palliative care: an Italian metropolitan multicentre JCI-certified model. *BMJ Qual Saf*. 2011 Jul;20(7):592-8.
96. Fayers PM, Hjermstad MJ, Klepstad P, Loge JH, Caraceni A, Hanks GW, Borchgrevink P, Kaasa S; European Palliative Care Research Collaborative (EPCRC). The dimensionality of pain: palliative care and chronic pain patients differ in their reports of pain intensity and pain interference. *Pain*. 2011 Jul;152(7):1608-20.
97. Galvan A, Skorpen F, Klepstad P, Knudsen AK, Fladvad T, Falvella FS, Pigni A, Brunelli C, Caraceni A, Kaasa S, Dragani TA. Multiple Loci modulate opioid therapy response for cancer pain. *Clin Cancer Res*. 2011 Jul 1;17(13):4581-7.
98. Caraceni A. The EPCRC project to revise the European Association for Palliative Care (EAPC) guidelines on the use of opioids for cancer pain. *Palliat Med*. 2011 Jul;25(5):389-90.
99. Caraceni A, Pigni A, Brunelli C. Is oral morphine still the first choice opioid for moderate to severe cancer pain? A systematic review within the European Palliative Care Research Collaborative guidelines project. *Palliat Med*. 2011 Jul;25(5):402-9.
100. Pigni A, Brunelli C, Caraceni A. The role of hydromorphone in cancer pain treatment: a systematic review. *Palliat Med*. 2011 Jul;25(5):471-7.
101. Mercadante S, Caraceni A. Conversion ratios for opioid switching in the treatment of cancer pain: a systematic review. *Palliat Med*. 2011 Jul;25(5):504-15.
102. Kurita GP, Kaasa S, Sjøgren P; European Palliative Care Research Collaborative (EPCRC). Spinal opioids in adult patients with cancer pain: a systematic review: a European Palliative Care Research Collaborative (EPCRC) opioid guidelines project. *Palliat Med*. 2011 Jul;25(5):560-77.
103. Radbruch L, Trottenberg P, Elsner F, Kaasa S, Caraceni A. Systematic review of the role of alternative application routes for opioid treatment for moderate to severe cancer pain: an EPCRC opioid guidelines project. *Palliat Med*. 2011 Jul;25(5):578-96
104. Kaasa S, Apolone G, Klepstad P, Loge JH, Hjermstad MJ, Corli O, Strasser F, Heiskanen T, Costantini M, Zagonel V, Groenvold M, Fainsinger R, Jensen MP, Farrar JT, McQuay H, Rothrock NE, Cleary J, Deguines C, Caraceni A; European Palliative Care Research Collaborative (EPCRC); European Association for Palliative Care Research Network (EAPCRN). Expert conference on cancer pain assessment and classification--the need for international consensus: working proposals on international standards. *BMJ Support Palliat Care*. 2011 Dec;1(3):281-7.

105. Caraceni A, Martini C, Zecca E, Fagnoni E. Cancer pain management and palliative care. *Handb Clin Neurol*. 2012;104:391-415.
106. Bennett MI, Rayment C, Hjermland M, Aass N, Caraceni A, Kaasa S. Prevalence and aetiology of neuropathic pain in cancer patients: a systematic review. *Pain*. 2012 Feb;153(2):359-65.
107. Caraceni A, Hanks G, Kaasa S, Bennett MI, Brunelli C, Cherny N, Dale O, De Conno F, Fallon M, Hanna M, Haugen DF, Juhl G, King S, Klepstad P, Laugsand EA, Maltoni M, Mercadante S, Nabal M, Pigni A, Radbruch L, Reid C, Sjogren P, Stone PC, Tassinari D, Zeppetella G; European Palliative Care Research Collaborative (EPCRC); European Association for Palliative Care (EAPC). Use of opioid analgesics in the treatment of cancer pain: evidence-based recommendations from the EAPC. *Lancet Oncol*. 2012 Feb;13(2):e58-68.
108. Knudsen AK, Brunelli C, Klepstad P, Aass N, Apolone G, Corli O, Montanari M, Caraceni A, Kaasa S. Which domains should be included in a cancer pain classification system? Analyses of longitudinal data. *Pain*. 2012 Mar;153(3):696-703.
109. Rizzi F, Pizzuto M, Lodetti L, Corli O, Da Col D, Damiani ME, Mihali D, Piva L, Saita L, Vinci M, Bonaldi A; Milan Palliative Care Group Investigators. Quality for home palliative care: an Italian metropolitan multicentre JCI-certified model. *BMJ Support Palliat Care*. 2012 Mar;2(1):57-62.
110. Caraceni A. [European guidelines on opioid use, a tool to improve clinical practice]. *Epidemiol Prev*. 2012 Mar-Apr;36(2):82. Italian.
111. Caraceni A, Zecca E, Martini C, Gorni G, Campa T, Brunelli C, De Conno F. Palliative sedation at the end of life at a tertiary cancer center. *Support Care Cancer*. 2012 Jun;20(6):1299-307.
112. Nabal M, Librada S, Redondo MJ, Pigni A, Brunelli C, Caraceni A. The role of paracetamol and nonsteroidal anti-inflammatory drugs in addition to WHO Step III opioids in the control of pain in advanced cancer. A systematic review of the literature. *Palliat Med*. 2012 Jun;26(4):305-12.
113. Raijmakers NJ, van Zuylen L, Costantini M, Caraceni A, Clark JB, De Simone G, Lundquist G, Voltz R, Ellershaw JE, van der Heide A; OPCARE9. Issues and needs in end-of-life decision making: an international modified Delphi study. *Palliat Med*. 2012 Oct;26(7):947-53.
114. Knudsen AK, Aass N, Heitzer E, Klepstad P, Hjermland MJ, Schippinger W, Brenne E, Kaasa S, Wasteson E; European Palliative Care Research Collaborative (EPCRC). Interviews with patients with advanced cancer--another step towards an international cancer pain classification system. *Support Care Cancer*. 2012 Oct;20(10):2491-500.
115. Hjermland MJ, Lie HC, Caraceni A, Currow DC, Fainsinger RL, Gundersen OE, Haugen DF, Heitzer E, Radbruch L, Stone PC, Strasser F, Kaasa S, Loge JH; European Palliative Care Research Collaborative (EPCRC). Computer-based symptom assessment is

feasible in patients with advanced cancer: results from an international multicenter study, the EPCRC-CSA. *J Pain Symptom Manage.* 2012 Nov;44(5):639-54.

116. Caraceni A, Bertetto O, Labianca R, Maltoni M, Mercadante S, Varrassi G, Zaninetta G, Zucco F, Bagnasco M, Lanata L, De Conno F; Breakthrough/Episodic Pain Italian Study Group. Episodic (breakthrough) pain prevalence in a population of cancer pain patients. Comparison of clinical diagnoses with the QUDEI—Italian questionnaire for intense episodic pain. *J Pain Symptom Manage.* 2012 May;43(5):833-41. Erratum in: *J Pain Symptom Manage.* 2012 Dec;44(6):944.
117. Evans N, Pasman HR, Vega Alonso T, Van den Block L, Miccinesi G, Van Casteren V, Donker G, Bertolissi S, Zurriaga O, Deliens L, Onwuteaka-Philipsen B; EUROIMPACT. End-of-life decisions: a cross-national study of treatment preference discussions and surrogate decision-maker appointments. *PLoS One.* 2013;8(3):e57965.
118. Messina G, Rizzi M, Cordella R, Caraceni A, Zecca E, Bussone G, Franzini A, Leone M. Secondary chronic cluster headache treated by posterior hypothalamic deep brain stimulation: first reported case. *Cephalalgia.* 2013 Jan;33(2):136-8.
119. Rayment C, Hjermstad MJ, Aass N, Kaasa S, Caraceni A, Strasser F, Heitzer E, Fainsinger R, Bennett MI; European Palliative Care Research Collaborative (EPCRC). Neuropathic cancer pain: prevalence, severity, analgesics and impact from the European Palliative Care Research Collaborative-Computerised Symptom Assessment study. *Palliat Med.* 2013 Sep;27(8):714-21.
120. Fladvad T, Klepstad P, Langaas M, Dale O, Kaasa S, Caraceni A, Skorpen F. Variability in UDP-glucuronosyltransferase genes and morphine metabolism: observations from a cross-sectional multicenter study in advanced cancer patients with pain. *Pharmacogenet Genomics.* 2013 Mar;23(3):117-26
121. Caraceni A, Davies A, Poulain P, Cortés-Funes H, Panchal SJ, Fanelli G. Guidelines for the management of breakthrough pain in patients with cancer. *J Natl Compr Canc Netw.* 2013 Mar;11 Suppl 1:S29-36.
122. Nekolaichuk CL, Fainsinger RL, Aass N, Hjermstad MJ, Knudsen AK, Klepstad P, Currow DC, Kaasa S; European Palliative Care Research Collaborative (EPCRC). The Edmonton Classification System for Cancer Pain: comparison of pain classification features and pain intensity across diverse palliative care settings in eight countries. *J Palliat Med.* 2013 May;16(5):516-23.
123. Corli O, Montanari M, Greco MT, Brunelli C, Kaasa S, Caraceni A, Apolone G. How to evaluate the effect of pain treatments in cancer patients: results from a longitudinal outcomes and endpoint Italian cohort study. *Eur J Pain.* 2013 Jul;17(6):858-66.
124. Caraceni AT, Brunelli C, Rocco P, Minghetti P. Trends in opioid analgesics sales to community pharmacies and hospitals in Italy (2000-2010). *Minerva Anestesiol.* 2013 Aug;79(8):906-14.

125. Caraceni A, Forbes K, Payne S, Reid C. Professor Geoffrey Warren Hanks (1946-2013): an appreciation of his contribution to Palliative Medicine. *Palliat Med.* 2013 Sep;27(8):703-4.
126. Caraceni A. Drug-associated delirium in cancer patients. *EJC Suppl.* 2013 Sep;11(2):233-40.
127. Davies A, Buchanan A, Zeppetella G, Porta-Sales J, Likar R, Weismayr W, Slama O, Korhonen T, Filbet M, Poulain P, Mystakidou K, Ardavanis A, O'Brien T, Wilkinson P, Caraceni A, Zucco F, Zuurmond W, Andersen S, Damkier A, Vejlgard T, Nauck F, Radbruch L, Sjolund KF, Stenberg M. Breakthrough cancer pain: an observational study of 1000 European oncology patients. *J Pain Symptom Manage.* 2013 Nov;46(5):619-28.
128. Brenne E, Loge JH, Kaasa S, Heitzer E, Knudsen AK, Wasteson E; European Palliative Care Research Collaborative (EPCRC). Depressed patients with incurable cancer: which depressive symptoms do they experience? *Palliat Support Care.* 2013 Dec;11(6):491-501. Erratum in: *Palliat Support Care.* 2013 Dec;11(6):535.
129. Gennaro M, Maccauro M, Sigari C, Casalini P, Bedodi L, Conti AR, Caraceni A, Bombardieri E. Selective axillary dissection after axillary reverse mapping to prevent breast-cancer-related lymphoedema. *Eur J Surg Oncol.* 2013 Dec;39(12):1341-5.
130. Loucka M, Payne S, Brearley S; EURO IMPACT. How to measure the international development of palliative care? A critique and discussion of current approaches. *J Pain Symptom Manage.* 2014 Jan;47(1):154-65.
131. Jaatun EA, Hjermstad MJ, Gundersen OE, Oldervoll L, Kaasa S, Haugen DF; European Palliative Care Research Collaborative (EPCRC). Development and testing of a computerized pain body map in patients with advanced cancer. *J Pain Symptom Manage.* 2014 Jan;47(1):45-56.
132. Brunelli C, Kaasa S, Knudsen AK, Hjermstad MJ, Pigni A, Caraceni A. Comparisons of patient and physician assessment of pain-related domains in cancer pain classification: results from a large international multicenter study. *J Pain.* 2014 Jan;15(1):59-67.
133. Evans N, Costantini M, Pasman HR, Van den Block L, Donker GA, Miccinesi G, Bertolissi S, Gil M, Boffin N, Zurriaga O, Deliëns L, Onwuteaka-Philipsen B; EURO IMPACT. End-of-life communication: a retrospective survey of representative general practitioner networks in four countries. *J Pain Symptom Manage.* 2014 Mar;47(3):604-619.e3
134. Evans N, Pasman HR, Donker GA, Deliëns L, Van den Block L, Onwuteaka-Philipsen B; on behalf of EUROIMPACT. End-of-life care in general practice: A cross-sectional, retrospective survey of 'cancer', 'organ failure' and 'old-age/dementia' patients. *Palliat Med.* 2014 Mar 18;28(7):965-975.
135. De Roo ML, Miccinesi G, Onwuteaka-Philipsen BD, Van Den Noortgate N, Van den Block L, Bonacchi A, Donker GA, Lozano Alonso JE, Moreels S, Deliëns L, Francke AL; EURO IMPACT. Actual and preferred place of death of home-dwelling patients in four

- European countries: making sense of quality indicators. *PLoS One*. 2014 Apr 8;9(4):e93762.
136. Abarshi EA, Papavasiliou ES, Preston N, Brown J, Payne S; EURO IMPACT. The complexity of nurses' attitudes and practice of sedation at the end of life: a systematic literature review. *J Pain Symptom Manage*. 2014 May;47(5):915-925.e11.
137. Mulvey MR, Rolke R, Klepstad P, Caraceni A, Fallon M, Colvin L, Laird B, Bennett MI; IASP Cancer Pain SIG and the EAPC Research Network. Confirming neuropathic pain in cancer patients: applying the NeuPSIG grading system in clinical practice and clinical research. *Pain*. 2014 May;155(5):859-63
138. Abarshi E, Rietjens J, Caraceni A, Payne S, Deliens L, Van Den Block L. Towards a standardised approach for evaluating guidelines and guidance documents on palliative sedation: study protocol. *BMC Palliat Care*. 2014 Jul 7;13:34.
139. Blum D, Stene GB, Solheim TS, Fayers P, Hjermstad MJ, Baracos VE, Fearon K, Strasser F, Kaasa S; Euro-Impact. Validation of the Consensus-Definition for Cancer Cachexia and evaluation of a classification model--a study based on data from an international multicentre project (EPCRC-CSA). *Ann Oncol*. 2014 Aug; 25(8):1635-42.
140. Papavasiliou EE, Payne S, Brearley S; EUROIMPACT. Current debates on end-of-life sedation: an international expert elicitation study. *Support Care Cancer*. 2014 Aug;22(8):2141-9
141. Lawlor PG, Davis DH, Ansari M, Hosie A, Kanji S, Momoli F, Bush SH, Watanabe S, Currow DC, Gagnon B, Agar M, Bruera E, Meagher DJ, de Rooij SE, Adamis D, Caraceni A, Marchington K, Stewart DJ. An analytical framework for delirium research in palliative care settings: integrated epidemiologic, clinician-researcher, and knowledge user perspectives. *J Pain Symptom Manage*. 2014 Aug;48(2):159-75.
142. Ko W, Miccinesi G, Beccaro M, Moreels S, Donker GA, Onwuteaka-Philipsen B, Alonso TV, Deliens L, Van den Block L; EURO IMPACT. Factors associated with fulfilling the preference for dying at home among cancer patients: the role of general practitioners. *J Palliat Care*. 2014 Autumn;30(3):141-50.
143. Pivodic L, Van den Block L, Pardon K, Miccinesi G, Vega Alonso T, Boffin N, Donker GA, Cancian M, López-Maside A, Onwuteaka-Philipsen BD, Deliens L; EURO IMPACT. Burden on family carers and care-related financial strain at the end of life: a cross-national population-based study. *Eur J Public Health*. 2014 Oct;24(5):819-26.
144. Janberidze E, Hjermstad MJ, Haugen DF, Sigurdardottir KR, Løhre ET, Lie HC, Loge JH, Kaasa S, Knudsen AK; EURO IMPACT. How are patient populations characterized in studies investigating depression in advanced cancer? Results from a systematic literature review. *J Pain Symptom Manage*. 2014 Oct;48(4):678-98.
145. European Delirium Association; American Delirium Society. The DSM-5 criteria, level of arousal and delirium diagnosis: inclusiveness is safer. *BMC Med*. 2014 Oct 8;12:141.

146. Janberidze E, Hjermsstad MJ, Brunelli C, Loge JH, Lie HC, Kaasa S, Knudsen AK; EURO IMPACT. The use of antidepressants in patients with advanced cancer—results from an international multicentre study. *Psychooncology*. 2014 Oct;23(10):1096-102.
147. Moens K, Higginson IJ, Harding R; EURO IMPACT. Are there differences in the prevalence of palliative care-related problems in people living with advanced cancer and eight non-cancer conditions? A systematic review. *J Pain Symptom Manage*. 2014 Oct;48(4):660-77.
148. West E, Costantini M, Pasma HR, Onwuteaka-Philipsen B; EURO IMPACT. A comparison of drugs and procedures of care in the Italian hospice and hospital settings: the final three days of life for cancer patients. *BMC Health Serv Res*. 2014 Oct 25;14:496.
149. De Roo ML, Francke AL, Van den Block L, Donker GA, Alonso JE, Miccinesi G, Moreels S, Onwuteaka-Philipsen BD, Salvetti A, Deliens L; EURO IMPACT. Hospitalizations of cancer patients in the last month of life: quality indicator scores reveal large variation between four European countries in a mortality follow-back study. *BMC Palliat Care*. 2014 Nov 27;13:54.
150. Evans N, Pasma HR, Deeg D, Onwuteaka-Philipsen B; EURO IMPACT. How do general end-of-life treatment goals and values relate to specific treatment preferences? a population-based study. *Palliat Med*. 2014 Dec;28(10):1206-12.
151. Brunelli C, Bennett MI, Kaasa S, Fainsinger R, Sjögren P, Mercadante S, Løhre ET, Caraceni A; European Association for Palliative Care (EAPC) Research Network; International Association for the Study of Pain (IASP) Cancer Pain Special Interest Group. Classification of neuropathic pain in cancer patients: A Delphi expert survey report and EAPC/IASP proposal of an algorithm for diagnostic criteria. *Pain*. 2014 Dec;155(12):2707-13.
152. Penders YW, Albers G, Deliens L, Vander Stichele R, Van den Block L; EURO IMPACT. Awareness of dementia by family carers of nursing home residents dying with dementia: a post-death study. *Palliat Med*. 2015 Jan;29(1):38-47.
153. Lie HC, Hjermsstad MJ, Fayers P, Finset A, Kaasa S, Loge JH; European Palliative Care Research Collaborative (EPCRC). Depression in advanced cancer--assessment challenges and associations with disease load. *J Affect Disord*. 2015 Mar 1;173:176-84
154. Mercadante S, Lazzari M, Reale C, Cuomo A, Fusco F, Marchetti P, Mediati RD, Chiurazzi B, Ciuffedra L, Caraceni A, Iaffaioli V, Luzzani M, Micheletto G, Papa A, Raffaeli W, Valle A, Caruso M, Di Costanzo F, Pinato G, Nardi F, Barni S, Natoli S, Mammucari M, Sabato AF, Dauri M; IOPS Study Group. Italian Oncological Pain Survey (IOPS): a multicentre Italian study of breakthrough pain performed in different settings. *Clin J Pain*. 2015 Mar; 31(3):214-21.
155. Grassi L, Caraceni A, Mitchell AJ, Nanni MG, Berardi MA, Caruso R, Riba M. Management of delirium in palliative care: a review. *Curr Psychiatry Rep*. 2015 Mar;17(3):550.

156. Moens K, Siegert RJ, Taylor S, Namisango E, Harding R; ENCOMPASS; EURO IMPACT. Symptom Clusters in People Living with HIV Attending Five Palliative Care Facilities in Two Sub-Saharan African Countries: A Hierarchical Cluster Analysis. PLoS One. 2015 May 12;10(5):e0126554.
157. Zecca E, Manzoni A, Centurioni F, Farina A, Bonizzoni E, Seiler D, Perrone T, Caraceni A. Pharmacokinetic study between a bilayer matrix fentanyl patch and a monolayer matrix fentanyl patch: single dose administration in healthy volunteers. Br J Clin Pharmacol. 2015 Jul;80(1):110-5.
158. De Roo ML, Albers G, Deliens L, de Vet HC, Francke AL, Van Den Noortgate N, Van den Block L; EURO IMPACT. Physical and Psychological Distress Are Related to Dying Peacefully in Residents With Dementia in Long-Term Care Facilities. J Pain Symptom Manage. 2015 Jul;50(1):1-8.
159. Callegaro D, Miceli R, Brunelli C, Colombo C, Sanfilippo R, Radaelli S, Casali PG, Caraceni A, Gronchi A, Fiore M. Long-term morbidity after multivisceral resection for retroperitoneal sarcoma. Br J Surg. 2015 Aug;102(9):1079-87.
160. Miccinesi G, Caraceni A, Raho JA, Paci E, Bulli F, Van Den Block L, Giannini A. Careful monitoring of the use of sedative drugs at the end of life: the role of Epidemiology. The ITAELD study. Minerva Anestesiol. 2015 Sep;81(9):968-79.
161. Hui D, Bansal S, Strasser F, Morita T, Caraceni A, Davis M, Cherny N, Kaasa S, Currow D, Abernethy A, Nekolaichuk C, Bruera E. Indicators of integration of oncology and palliative care programs: an international consensus. Ann Oncol. 2015 Sep;26(9):1953-9.
162. Blum D, Raj SX, Oberholzer R, Riphagen II, Strasser F, Kaasa S; EURO IMPACT, European Intersectorial Multidisciplinary Palliative Care Research Training. Computer-Based Clinical Decision Support Systems and Patient-Reported Outcomes: A Systematic Review. Patient. 2015 Oct;8(5):397-409.
163. Evans N, Pasma HR, Deeg DJ, Onwuteaka-Philipsen BD; EURO IMPACT. Older Dutch People's Self-Reported Advance Euthanasia Directive Completion Before and After the Enactment of the Euthanasia Law: A Time Trend Study (1998-2011). J Am Geriatr Soc. 2015 Oct;63(10):2217-9.
164. Pedrazzoli P, Caraceni A, Beano A, Adamo V, Testore F, Pigni A, Body J, Sgreccia L, de Cock E, Tao S, Kritikou P, Hechmati G, Gatta F. Results From a Time and Motion Study of Denosumab Subcutaneous Injection and Zoledronic Acid Intravenous Infusion in Patients with Metastatic Bone Disease From Italian Sites. Value Health. 2015 Nov;18(7):A485-6
165. Oliver DJ, Borasio GD, Caraceni A, de Visser M, Grisold W, Lorenzl S, Veronese S, Voltz R. A consensus review on the development of palliative care for patients with chronic and progressive neurological disease. Eur J Neurol. 2016 Jan;23(1):30-8
166. Caraceni A. Palliative sedation: more data and fewer opinions. Lancet Oncol. 2016 Jan;17(1):15-7.

167. Pivodic L, Harding R, Calanzani N, McCrone P, Hall S, Deliens L, Higginson IJ, Gomes B; EURO IMPACT. Home care by general practitioners for cancer patients in the last 3 months of life: An epidemiological study of quality and associated factors. *Palliat Med*. 2016 Jan;30(1):64-74.
168. Pivodic L, Pardon K, Morin L, Addington-Hall J, Miccinesi G, Cardenas-Turanzas M, Onwuteaka-Philipsen B, Naylor W, Ruiz Ramos M, Van den Block L, Wilson DM, Loucka M, Csikos A, Rhee YJ, Teno J, Deliens L, Houttekier D, Cohen J; EURO IMPACT. Place of death in the population dying from diseases indicative of palliative care need: a cross-national population-level study in 14 countries. *J Epidemiol Community Health*. 2016 Jan;70(1):17-24.
169. Cau N, Galli M, Cimolin V, Aranci M, Caraceni A, Balzarini A. Comparative study between circumferential method and laser scanner 3D method for the evaluation of arm volume in healthy subjects. *J Vasc Surg Venous Lymphat Disord*. 2016 Jan; 4(1):64-72.
170. Mercadante S, Klepstad P, Paula Kurita G, Sjøgren P, Pigni A, Caraceni A. Minimally invasive procedures for the management of vertebral bone pain due to cancer: The EAPC recommendations. *Acta Oncol*. 2016 Feb;55(2):129-33.
171. Mercadante S, Marchetti P, Cuomo A, Mammucari M, Caraceni A; IOPS MS study Group. Breakthrough pain and its treatment: critical review and recommendations of IOPS (Italian Oncologic Pain Survey) expert group. *Support Care Cancer*. 2016 Feb;24(2):961-8.
172. Løhre ET, Klepstad P, Bennett MI, Brunelli C, Caraceni A, Fainsinger RL, Knudsen AK, Mercadante S, Sjøgren P, Kaasa S; European Association for Palliative Care Research Network. From "Breakthrough" to "Episodic" Cancer Pain? A European Association for Palliative Care Research Network Expert Delphi Survey Toward a Common Terminology and Classification of Transient Cancer Pain Exacerbations. *J Pain Symptom Manage*. 2016 Feb 26.
173. Corli O, Floriani I, Roberto A, Montanari M, Galli F, Greco MT, Caraceni A, Kaasa S, Dragani TA, Azzarello G, Luzzani M, Cavanna L, Bandieri E, Gamucci T, Lipari G, Di Gregorio R, Valenti D, Reale C, Pavesi L, Iorno V, Crispino C, Pacchioni M, Apolone G; CERP STUDY OF PAIN GROUP. Are strong opioids equally effective and safe in the treatment of chronic cancer pain? A multicenter randomized phase 4 'real life' trial on the variability of response to opioids. *Ann Oncol*. 2016 Mar 2.
174. Hui D, Bansal S, Strasser F, Morita T, Caraceni A, Davis M, Cherny N, Kaasa S, Currow D, Abernethy A, Nekolaichuk C, Bruera E. Reply to the letter to the editor 'Integration between oncology and palliative care: does one size fit all?' by Verna et al. *Ann Oncol*. 2016 Mar;27(3):549-50
175. Porta-Sales J, Garzón-Rodríguez C, Llorens-Torromé S, Brunelli C, Pigni A, Caraceni A. Evidence on the analgesic role of bisphosphonates and denosumab in the treatment of pain due to bone metastases: A systematic review within the European Association for Palliative Care guidelines project. *Palliat Med*. 2016 Mar 22.

176. Hjermland MJ, Aass N, Aielli F, Bennett M, Brunelli C, Caraceni A, Cavanna L, Fassbender K, Feio M, Haugen DF, Jakobsen G, Laird B, Løhre ET, Martinez M, Nabal M, Noguera-Tejedor A, Pardon K, Pigni A, Piva L, Porta-Sales J, Rizzi F, Rondini E, Sjøgren P, Strasser F, Turriziani A, Kaasa S; European Palliative Care Cancer Symptom study (EPCCS). Characteristics of the case mix, organisation and delivery in cancer palliative care: a challenge for good-quality research. *BMJ Support Palliat Care*. 2016 May 31.
177. Hjermland MJ, Kaasa S, Caraceni A, Loge JH, Pedersen T, Haugen DF, Aass N; European Palliative Care Research Collaborative (EPCRC). Characteristics of breakthrough cancer pain and its influence on quality of life in an international cohort of patients with cancer. *BMJ Support Palliat Care*. 2016 Sep;6(3):344-52.
178. Løhre ET, Klepstad P, Bennett MI, Brunelli C, Caraceni A, Fainsinger RL, Knudsen AK, Mercadante S, Sjøgren P, Kaasa S. Authors' Reply to Davies et al. *J Pain Symptom Manage*. 2016 Nov;52(5):e1-e2.
179. Hui D, Mori M, Watanabe SM, Caraceni A, Strasser F, Saarto T, Cherny N, Glare P, Kaasa S, Bruera E. Referral criteria for outpatient specialty palliative cancer care: an international consensus. *Lancet Oncol*. 2016 Dec;17(12):e552-e559.
180. Zecca E, Brunelli C, Bracchi P, Biancofiore G, De Sangro C, Bortolussi R, Montanari L, Maltoni M, Moro C, Colonna U, Finco G, Roy MT, Ferrari V, Alabiso O, Rosti G, Kaasa S, Caraceni A. Comparison of the Tolerability Profile of Controlled-Release Oral Morphine and Oxycodone for Cancer Pain Treatment. An Open-Label Randomized Controlled Trial. *J Pain Symptom Manage*. 2016 Dec;52(6):783-794.
181. Bartolo M, Chiò A, Ferrari S, Tassorelli C, Tamburin S, Avenali M, Azicnuda E, Calvo A, Caraceni AT, Defazio G, DE Icco R, Formisano R, Franzoni S, Greco E, Jedrychowska I, Magrinelli F, Manera U, Marchioni E, Mariotto S, Monaco S, Pace A, Saviola D, Springhetti I, Tinazzi M, DE Tanti A; Italian Consensus Conference on Pain in Neurorehabilitation (ICCPN).. Assessing and treating pain in movement disorders, amyotrophic lateral sclerosis, severe acquired brain injury, disorders of consciousness, dementia, oncology and neuroinfectiology. Evidence and recommendations from the Italian Consensus Conference on Pain in Neurorehabilitation. *Eur J Phys Rehabil Med*. 2016 Dec;52(6):841-854
182. Mercadante S, Marchetti P, Cuomo A, Caraceni A, Mediati RD, Mammucari M, Natoli S, Lazzari M, Dauri M, Aioldi M, Azzarello G, Bandera M, Blasi L, Carteni G, Chiurazzi B, Costanzo BV, Degiovanni D, Fusco F, Guardamagna V, Iaffaioli V, Liguori S, Lorusso V, Mameli S, Mattioli R, Mazzei T, Melotti RM, Menardo V, Miotti D, Moroso S, De Santis S, Orsetti R, Papa A, Ricci S, Sabato AF, Scelzi E, Sofia M, Tonini G, Aielli F, Valle A; IOPS MS study group.. Breakthrough Cancer Pain: Preliminary Data of The Italian Oncologic Pain Multisetting Multicentric Survey (IOPS-MS). *Adv Ther*. 2017 Jan;34(1):120-135.
183. Zecca E, Brunelli C, Centurioni F, Manzoni A, Pigni A, Caraceni A. Fentanyl Sublingual Tablets Versus Subcutaneous Morphine for the Management of Severe Cancer Pain Episodes in Patients Receiving Opioid Treatment: A Double-Blind, Randomized, Noninferiority Trial. *J Clin Oncol*. 2017 Jan 23

184. Maltoni M, Scarpi E, Dall'Agata M, Schiavon S, Biasini C, Codecà C, Brogna CM, Sansoni E, Bortolussi R, Garetto F, Fioretto L, Cattaneo MT, Giacobino A, Luzzani M, Luchena G, Alquati S, Quadrini S, Zagonel V, Cavanna L, Ferrari D, Pedrazzoli P, Frassinetti GL, Galiano A, Casadei Gardini A, Monti M, Nanni O; Early Palliative Care Italian Study Group (EPCISG).. Erratum to "Systematic versus on-demand early palliative care: A randomised clinical trial assessing quality of care and treatment aggressiveness near the end of life" [Eur J Cancer 69 (2016) 110-118]. Eur J Cancer. 2017 Feb