

## Pubblicazioni dr. Roberto Luksch

- 1: Luksch R, Tienghi A, Hall KS, Fagioli F, Picci P, Barbieri E, Gandola L, Eriksson M, Ruggieri P, Daolio P, Lindholm P, Prete A, Bisogno G, Tamburini A, Grignani G, Abate ME, Podda M, Smeland S, Ferrari S. Primary metastatic Ewing's family tumors: results of the Italian Sarcoma Group and Scandinavian Sarcoma Group ISG/SSG IV Study including myeloablative chemotherapy and total-lung irradiation. *Ann Oncol.* 2012 Jul 5.
- 2: Bisogno G, Soloni P, Conte M, Podda M, Ferrari A, Garaventa A, Luksch R, Cecchetto G. Esthesioneuroblastoma in pediatric and adolescent age. A report from the TREP project in cooperation with the Italian Neuroblastoma and Soft Tissue Sarcoma Committees. *BMC Cancer.* 2012 Mar 25;12(1):117.
- 3: Longhi A, Ferrari S, Tamburini A, Luksch R, Fagioli F, Bacci G, Ferrari C. Late effects of chemotherapy and radiotherapy in osteosarcoma and Ewing sarcoma patients: The Italian Sarcoma Group Experience (1983–2006). *Cancer.* 2012 Mar 13.
- 4: Massimino M, Cefalo G, Riva D, Biassoni V, Spreafico F, Pecori E, Poggi G, Collini P, Pollo B, Valentini L, Potepan P, Seregni E, Casanova M, Ferrari A, Luksch R, Polastri D, Terenziani M, Pallotti F, Clerici CA, Schiavello E, Simonetti F, Meazza C, Catania S, Podda M, Gandola L. Long-term results of combined preradiation chemotherapy and age-tailored radiotherapy doses for childhood medulloblastoma. *J Neurooncol.* 2012 May; 108(1):163–71.
- 5: Del Gross F, De Mariano M, Passoni L, Luksch R, Tonini GP, Longo L. Inhibition of N-linked glycosylation impairs ALK phosphorylation and disrupts pro-survival signaling in neuroblastoma cell lines. *BMC Cancer.* 2011 Dec 22;11:525.
- 6: Sevilla J, Schiavello E, Madero L, Pardeo M, Guggiari E, Baragaño M, Luksch R, Massimino M. Priming of hematopoietic progenitor cells by plerixafor and filgrastim in children with previous failure of mobilization with chemotherapy and/or cytokine treatment. *J Pediatr Hematol Oncol.* 2012 Mar;34(2):146–50.
- 7: Spina F, Alessandrino PE, Milani R, Bonifazi F, Bernardi M, Luksch R, Fagioli F, Formica C, Farina L. Allogeneic stem cell transplantation in therapy-related acute myeloid leukemia and myelodysplastic syndromes: impact of patient characteristics and timing of transplant. *Leuk Lymphoma.* 2012 Jan;53(1):96–102.
- 8: Cesaro S, Zanazzo AG, Frenos S, Luksch R, Pegoraro A, Tridello G, Dallorso S. A Phase II study on the safety and efficacy of a single dose of pegfilgrastim for mobilization and transplantation of autologous hematopoietic stem cells in pediatric oncohematology patients. *Transfusion.* 2011 Nov;51(11):2480–7.
- 9: Parodi F, Passoni L, Massimo L, Luksch R, Gambini C, Rossi E, Zuffardi O, Pistoia V, Pezzolo A. Identification of novel prognostic markers in relapsing localized resectable neuroblastoma. *OMICS.* 2011 Mar;15(3):113–21.
- 10: Podda MG, Luksch R, Polastri D, Gandola L, Piva L, Collini P, Cefalo G, Terenziani M, Ferrari A, Casanova M, Spreafico F, Meazza C, Castellani MR, Catania S, Schiavello E, Marchianò A, Massimino M. Neuroblastoma in patients over 12 years old: a 20-year experience at the Istituto Nazionale Tumori of Milan. *Tumori.* 2010 Sep-Oct;96(5):684–9.

- 11: Ferrari S, Sundby Hall K, Luksch R, Tienghi A, Wiebe T, Fagioli F, Alvegard TA, Brach Del Prever A, Tamburini A, Alberghini M, Gandola L, Mercuri M, Capanna R, Mapelli S, Prete A, Carli M, Picci P, Barbieri E, Bacci G, Smeland S. Nonmetastatic Ewing family tumors: high-dose chemotherapy with stem cell rescue in poor responder patients. Results of the Italian Sarcoma Group/Scandinavian Sarcoma Group III protocol. *Ann Oncol*. 2011 May;22(5):1221-7.
- 12: Meazza C, Casanova M, Luksch R, Podda M, Favini F, Cefalo G, Massimino M, Ferrari A. Prolonged 14-day continuous infusion of high-dose ifosfamide with an external portable pump: feasibility and efficacy in refractory pediatric sarcoma. *Pediatr Blood Cancer*. 2010 Oct;55(4):617-20.
- 13: Formelli F, Cavadini E, Luksch R, Garaventa A, Appierto V, Persiani S. Relationship among pharmacokinetics and pharmacodynamics of fenretinide and plasma retinol reduction in neuroblastoma patients. *Cancer Chemother Pharmacol*. 2010 Oct;66(5):993-8.
- 14: Haupt R, Garaventa A, Gambini C, Parodi S, Cangemi G, Casale F, Viscardi E, Bianchi M, Prete A, Jenkner A, Luksch R, Di Cataldo A, Favre C, D'Angelo P, Zanazzo GA, Arcamone G, Izzi GC, Gigliotti AR, Pastore G, De Bernardi B. Improved survival of children with neuroblastoma between 1979 and 2005: a report of the Italian Neuroblastoma Registry. *J Clin Oncol*. 2010 May 10;28(14):2331-8.
- 15: Castellani MR, Seghezzi S, Chiesa C, Aliberti GL, Maccauro M, Seregni E, Orunesu E, Luksch R, Bombardieri E. (131)I-MIBG treatment of pheochromocytoma: low versus intermediate activity regimens of therapy. *Q J Nucl Med Mol Imaging*. 2010 Feb;54(1):100-13.
- 16: Rutkowski S, Cohen B, Finlay J, Luksch R, Ridola V, Valteau-Couanet D, Hara J, Garre ML, Grill J. Medulloblastoma in young children. *Pediatr Blood Cancer*. 2010 Apr;54(4):635-7. Review.
- 17: Ferrari A, Miceli R, Meazza C, Casanova M, Favini F, Morosi C, Trecate G, Marchianò A, Luksch R, Cefalo G, Terenziani M, Spreafico F, Polastri D, Podda M, Catania S, Schiavello E, Giannatempo P, Gandola L, Massimino M, Mariani L. Comparison of the prognostic value of assessing tumor diameter versus tumor volume at diagnosis or in response to initial chemotherapy in rhabdomyosarcoma. *J Clin Oncol*. 2010 Mar 10;28(8):1322-8.
- 18: Ferrari A, Miceli R, Casanova M, Meazza C, Favini F, Luksch R, Catania S, Fiore M, Morosi C, Mariani L. The symptom interval in children and adolescents with soft tissue sarcomas. *Cancer*. 2010 Jan 1;116(1):177-83.
- 19: Beretta S, Polastri D, Clerici CA, Casanova M, Cefalo G, Ferrari A, Luksch R, Massimino M, Meazza C, Podda MG, Spreafico F, Terenziani M, Bellani FF. End of life in children with cancer: experience at the pediatric oncology department of the istituto nazionale tumori in Milan. *Pediatr Blood Cancer*. 2010 Jan;54(1):88-91.
- 20: Passoni L, Longo L, Collini P, Coluccia AM, Bozzi F, Podda M, Gregorio A, Gambini C, Garaventa A, Pistoia V, Del Grosso F, Tonini GP, Cheng M, Gambacorti-Passerini C, Anichini A, Fossati-Bellani F, Di Nicola M, Luksch R. Mutation-independent anaplastic lymphoma kinase overexpression in poor prognosis neuroblastoma patients. *Cancer Res*. 2009 Sep 15;69(18):7338-46.

- 21: Garaventa A, Parodi S, De Bernardi B, Dau D, Manzitti C, Conte M, Casale F, Viscardi E, Bianchi M, D'Angelo P, Zanazzo GA, Luksch R, Favre C, Tamburini A, Haupt R. Outcome of children with neuroblastoma after progression or relapse. A retrospective study of the Italian neuroblastoma registry. *Eur J Cancer*. 2009 Nov;45(16):2835-42.
- 22: Di Cataldo A, Dau D, Conte M, Parodi S, De Bernardi B, Giuliano M, Pession A, Viscardi E, Luksch R, Castellano A, Bertuna G, Haupt R; Italian Cooperative Group for Neuroblastoma. Diagnostic and prognostic markers in infants with disseminated neuroblastoma: a retrospective analysis from the Italian Cooperative Group for Neuroblastoma. *Med Sci Monit*. 2009 Jan;15(1):MT11-8.
- 23: Gandola L, Massimino M, Cefalo G, Solero C, Spreafico F, Pecori E, Riva D, Collini P, Pignoli E, Giangaspero F, Luksch R, Berretta S, Poggi G, Biassoni V, Ferrari A, Pollo B, Favre C, Sardi I, Terenziani M, Fossati-Bellani F. Hyperfractionated accelerated radiotherapy in the Milan strategy for metastatic medulloblastoma. *J Clin Oncol*. 2009 Feb 1;27(4):566-71.
- 24: Ferrari A, Miceli R, Meazza C, Zaffignani E, Gronchi A, Piva L, Collini P, Podda M, Massimino M, Luksch R, Cefalo G, Terenziani M, Spreafico F, Polastri D, Fossati-Bellani F, Casanova M, Mariani L. Soft tissue sarcomas of childhood and adolescence: the prognostic role of tumor size in relation to patient body size. *J Clin Oncol*. 2009 Jan 20;27(3):371-6.
- 25: Massimino M, Gandola L, Spreafico F, Biassoni V, Luksch R, Collini P, Solero CN, Simonetti F, Pignoli E, Cefalo G, Poggi G, Modena P, Mariani L, Potepan P, Podda M, Casanova M, Pecori E, Acerno S, Ferrari A, Terenziani M, Meazza C, Polastri D, Ravagnani F, Fossati-Bellani F. No salvage using high-dose chemotherapy plus/minus reirradiation for relapsing previously irradiated medulloblastoma. *Int J Radiat Oncol Biol Phys*. 2009 Apr 1;73(5):1358-63.
- 26: Clerici CA, Fossati-Bellani F, Lepera P, Gennaro M, Bergonzi S, Meazza C, Podda M, Gandola L, Veneroni L, Casanova M, Cefalo G, Ferrari A, Luksch R, Massimino M, Polastri D, Spreafico F, Terenziani M. Psychological assessment of women on an early breast screening program after radiotherapy to the chest wall for childhood cancer. *Tumori*. 2008 Jul-Aug;94(4):568-73.
- 27: Meazza C, Casanova M, Zaffignani E, Luksch R, Podda M, Favini F, Catania S, Biassoni V, Morosi C, Ferrari A. Efficacy of topotecan plus vincristine and doxorubicin in children with recurrent/refractory rhabdomyosarcoma. *Med Oncol*. 2009;26(1):67-72.
- 28: Fagioli F, Biasin E, Mereuta OM, Muraro M, Luksch R, Ferrari S, Aglietta M, Madon E. Poor prognosis osteosarcoma: new therapeutic approach. *Bone Marrow Transplant*. 2008 Jun;41 Suppl 2:S131-4. Review.
- 29: Bozzi F, Collini P, Aiello A, Barzanò E, Gambirasio F, Podda M, Meazza C, Ferrari A, Luksch R. Flow cytometric phenotype of rhabdomyosarcoma bone marrow metastatic cells and its implication in differential diagnosis with neuroblastoma. *Anticancer Res*. 2008 May-Jun;28(3A):1565-9.
- 30: De Bernardi B, Gambini C, Haupt R, Granata C, Rizzo A, Conte M, Tonini GP, Bianchi M, Giuliano M, Luksch R, Prete A, Viscardi E, Garaventa A, Sementa AR, Bruzzi P, Angelini

P. Retrospective study of childhood ganglioneuroma. *J Clin Oncol.* 2008 Apr 1;26(10):1710-6.

- 31: Spreafico F, Bisogno G, Collini P, Jenkner A, Gandola L, D'Angelo P, Casazza G, Piva L, Luksch R, Perotti D, Pession A, Fagioli F, Dallorso S. Treatment of high-risk relapsed Wilms tumor with dose-intensive chemotherapy, marrow-ablative chemotherapy, and autologous hematopoietic stem cell support: experience by the Italian Association of Pediatric Hematology and Oncology. *Pediatr Blood Cancer.* 2008 Jul;51(1):23-8.
- 32: Massimino M, Spreafico F, Biassoni V, Simonetti F, Riva D, Trecate G, Giombini S, Poggi G, Pecori E, Pignoli E, Casanova M, Ferrari A, Meazza C, Luksch R, Terenziani M, Cefalo G, Podda M, Polastri D, Clerici CA, Fossati-Bellani F, Gandola L. Diffuse pontine gliomas in children: changing strategies, changing results? A mono-institutional 20-year experience. *J Neurooncol.* 2008 May;87(3):355-61.
- 33: Formelli F, Cavadini E, Luksch R, Garaventa A, Villani MG, Appierto V, Persiani S. Pharmacokinetics of oral fenretinide in neuroblastoma patients: indications for optimal dose and dosing schedule also with respect to the active metabolite 4-oxo-fenretinide. *Cancer Chemother Pharmacol.* 2008 Sep;62(4):655-65.
- 34: Spreafico F, Gandola L, Marchianò A, Simonetti F, Poggi G, Adduci A, Clerici CA, Luksch R, Biassoni V, Meazza C, Catania S, Terenziani M, Musumeci R, Fossati-Bellani F, Massimino M. Brain magnetic resonance imaging after high-dose chemotherapy and radiotherapy for childhood brain tumors. *Int J Radiat Oncol Biol Phys.* 2008 Mar 15;70(4):1011-9.
- 35: Angelini P, De Bernardi B, Granata C, Villavecchia G, Morbelli S, Luksch R, Di Cataldo A, Garaventa A, Castellani R. Skeletal involvement in infants with neuroblastoma a quality control attempt. *Tumori.* 2007 Jan-Feb;93(1):82-7.
- 36: Bozzi F, Tamborini E, Negri T, Pastore E, Ferrari A, Luksch R, Casanova M, Pierotti MA, Bellani FF, Pilotti S. Evidence for activation of KIT, PDGFRalpha, and PDGFRbeta receptors in the Ewing sarcoma family of tumors. *Cancer.* 2007 Apr 15;109(8):1638-45.
- 37: Luksch R, Grignani G, Fagioli F, Brach del Prever A, Podda M, Aliberti S, Casanova M, Prete A, Hanau G, Tamburini A, Allione P, Tienghi A, Ferrari S, Collini P, Marchianò A, Gandola L, Aglietta M, Madon E, Picci P, Fossati-Bellani F. Response to melphalan in up-front investigational window therapy for patients with metastatic Ewing's family tumours. *Eur J Cancer.* 2007 Mar;43(5):885-90.
- 38: Bozzi F, Gambirasio F, Luksch R, Collini P, Brando B, Fossati-Bellani F. Detecting CD56+/NB84+/CD45- immunophenotype in the bone marrow of patients with metastatic neuroblastoma using flow cytometry. *Anticancer Res.* 2006 Sep-Oct;26(5A):3281-7.
- 39: Clerici CA, Ferrari A, Massimino M, Luksch R, Cefalo G, Terenziani M, Casanova M, Spreafico F, Polastri D, Meazza C, Podda M, Fossati-Bellani F. Assistance to parents who have lost their child with cancer. *Tumori.* 2006 Jul-Aug;92(4):306-10.
- 40: D'Alessio A, Piro E, Beretta F, Abati L, Brugnoni M, Assi A, Luksch R. Presacral cystic neuroblastoma: case report and review of the literature. *J Pediatr Hematol Oncol.* 2006 Aug;28(8):534-6.
- 41: Meazza C, Ferrari A, Casanova M, Massimino M, Luksch R, Spreafico F, Cefalo G, Terenziani M, Polastri D, Podda M, Catania S, Cereda S, Gandola L, Fossati-Bellani F,

Cantù G. Rhabdomyosarcoma of the head and neck region: experience at the pediatric unit of the Istituto Nazionale Tumori, Milan. *J Otolaryngol*. 2006 Feb;35(1):53–9.

42: Conte M, Parodi S, De Bernardi B, Milanaccio C, Mazzocco K, Angelini P, Viscardi E, Di Cataldo A, Luksch R, Haupt R. Neuroblastoma in adolescents: the Italian experience. *Cancer*. 2006 Mar 15;106(6):1409–17.

43: Massimino M, Gandola L, Spreafico F, Luksch R, Collini P, Giangaspero F, Simonetti F, Casanova M, Cefalo G, Pignoli E, Ferrari A, Terenziani M, Podda M, Meazza C, Polastri D, Poggi G, Ravagnani F, Fossati-Bellani F. Supratentorial primitive neuroectodermal tumors (S-PNET) in children: A prospective experience with adjuvant intensive chemotherapy and hyperfractionated accelerated radiotherapy. *Int J Radiat Oncol Biol Phys*. 2006 Mar 15;64(4):1031–7.

44: Ravagnani F, Coluccia P, Notti P, Arienti F, Bompadre A, Avella M, Bozzi F, Barzanò E, Podda M, Pupa S, Luksch R. Peripheral blood stem cell collection in pediatric patients: feasibility of leukapheresis under anesthesia in uncompliant small children with solid tumors. *J Clin Apher*. 2006 Jul;21(2):85–91.

45: Casanova M, Massimino M, Ferrari A, Spreafico F, Piva L, Coppa J, Luksch R, Cefalo G, Terenziani M, Polastri D, Bellani FF, Mazzaferro V. Etoposide, cisplatin, epirubicin chemotherapy in the treatment of pediatric liver tumors. *Pediatr Hematol Oncol*. 2005 Apr-May;22(3):189–98.

46: Luksch R, Podda M, Gandola L, Polastri D, Piva L, Castellani R, Collini P, Massimino M, Cefalo G, Terenziani M, Ferrari A, Casanova M, Spreafico F, Meazza C, Bozzi F, Marchianò A, Ravagnani F, Fossati-Bellani F. Stage 4 neuroblastoma: sequential hemi-body irradiation or high-dose chemotherapy plus autologous haemopoietic stem cell transplantation to consolidate primary treatment. *Br J Cancer*. 2005 Jun 6;92(11):1984–8.

47: Ferrari A, Casanova M, Collini P, Meazza C, Luksch R, Massimino M, Cefalo G, Terenziani M, Spreafico F, Catania S, Gandola L, Gronchi A, Mariani L, Fossati-Bellani F. Adult-type soft tissue sarcomas in pediatric-age patients: experience at the Istituto Nazionale Tumori in Milan. *J Clin Oncol*. 2005 Jun 20;23(18):4021–30.

48: Massimino M, Gandola L, Luksch R, Spreafico F, Riva D, Solero C, Giangaspero F, Locatelli F, Podda M, Bozzi F, Pignoli E, Collini P, Cefalo G, Zecca M, Casanova M, Ferrari A, Terenziani M, Meazza C, Polastri D, Scaramuzza D, Ravagnani F, Fossati-Bellani F. Sequential chemotherapy, high-dose thiotepa, circulating progenitor cell rescue, and radiotherapy for childhood high-grade glioma. *Neuro Oncol*. 2005 Jan;7(1):41–8.

49: Ferrari L, Seregni E, Lucignani G, Bajetta E, Martinetti A, Aliberti G, Pallotti F, Procopio G, Della Torre S, Luksch R, Bombardieri E. Accuracy and clinical correlates of two different methods for chromogranin A assay in neuroendocrine tumors. *Int J Biol Markers*. 2004 Oct-Dec;19(4):295–304.

50: Clerici CA, Ferrari A, Massimino M, Terenziani M, Casanova M, Luksch R, Spreafico F, Cefalo G, Polastri D, Fossati-Bellani F, Albasi C, Gelli P. Five questions for assessing psychological problems in pediatric patients cured of neoplastic disease. *Pediatr Hematol Oncol*. 2004 Sep;21(6):481–7.

- 51: Meazza C, Ferrari A, Casanova M, Gandola L, Collini P, Massimino M, Luksch R, Spreafico F, Cefalo G, Polastri D, Terenziani M, Podda M, Cantù G, Scaramuzza D, Fossati-Bellani F. Evolving treatment strategies for parameningeal rhabdomyosarcoma: the experience of the Istituto Nazionale Tumori of Milan. *Head Neck.* 2005 Jan;27(1):49–57.
- 52: Clerici CA, Ferrari A, Luksch R, Casanova M, Massimino M, Cefalo G, Terenziani M, Spreafico F, Polastri D, Mapelli S, Daolio P, Bellani FF. Clinical experience with psychological aspects in pediatric patients amputated for malignancies. *Tumori.* 2004 Jul-Aug;90(4):399–404.
- 53: Bozzi F, Luksch R, Collini P, Gambirasio F, Barzanò E, Polastri D, Podda M, Brando B, Fossati-Bellani F. Molecular detection of dopamine decarboxylase expression by means of reverse transcriptase and polymerase chain reaction in bone marrow and peripheral blood: utility as a tumor marker for neuroblastoma. *Diagn Mol Pathol.* 2004 Sep;13(3):135–43.
- 54: Terenziani M, Spreafico F, Collini P, Piva L, Perotti D, Podda M, Gandola L, Massimino M, Cereda S, Cefalo G, Luksch R, Casanova M, Ferrari A, Polastri D, Valagussa P, Fossati-Bellani F. Adult Wilms' tumor: A monoinstitutional experience and a review of the literature. *Cancer.* 2004 Jul 15;101(2):289–93. Review.
- 55: Garaventa A, Luksch R, Biasotti S, Severi G, Pizzitola MR, Viscardi E, Prete A, Mastrangelo S, Podda M, Haupt R, De Bernardi B. A phase II study of topotecan with vincristine and doxorubicin in children with recurrent/refractory neuroblastoma. *Cancer.* 2003 Dec 1;98(11):2488–94.
- 56: Rodolfo M, Luksch R, Stockert E, Chen YT, Collini P, Ranzani T, Lombardo C, Dalerba P, Rivoltini L, Arienti F, Fossati-Bellani F, Old LJ, Parmiani G, Castelli C. Antigen-specific immunity in neuroblastoma patients: antibody and T-cell recognition of NY-ESO-1 tumor antigen. *Cancer Res.* 2003 Oct 15;63(20):6948–55.
- 57: Luksch R, Perotti D, Cefalo G, Gambacorti Passerini C, Massimino M, Spreafico F, Casanova M, Ferrari A, Terenziani M, Polastri D, Gambirasio F, Podda M, Bozzi F, Ravagnani F, Parmiani G, Fossati Bellani F. Immunomodulation in a treatment program including pre- and post-operative interleukin-2 and chemotherapy for childhood osteosarcoma. *Tumori.* 2003 May-Jun;89(3):263–8.
- 58: Collini P, Mezzelani A, Modena P, Dagradá P, Tamborini E, Luksch R, Gronchi A, Navarria P, Sozzi G, Pilotti S. Evidence of neural differentiation in a case of post-therapy primitive neuroectodermal tumor/Ewing sarcoma of bone. *Am J Surg Pathol.* 2003 Aug; 27(8):1161–6.
- 59: Garaventa A, Luksch R, Lo Piccolo MS, Cavadini E, Montaldo PG, Pizzitola MR, Boni L, Ponzoni M, Decensi A, De Bernardi B, Bellani FF, Formelli F. Phase I trial and pharmacokinetics of fenretinide in children with neuroblastoma. *Clin Cancer Res.* 2003 Jun;9(6):2032–9.
- 60: Massimino M, Spreafico F, Cefalo G, Riccardi R, Tesoro-Tess JD, Gandola L, Riva D, Ruggiero A, Valentini L, Mazza E, Genitori L, Di Rocco C, Navarria P, Casanova M, Ferrari A, Luksch R, Terenziani M, Balestrini MR, Colosimo C, Fossati-Bellani F. High response rate to cisplatin/etoposide regimen in childhood low-grade glioma. *J Clin Oncol.* 2002 Oct 15;20(20):4209–16.

- 61: Terenziani M, Piva L, Spreafico F, Salvioni R, Massimino M, Luksch R, Cefalo G, Casanova M, Ferrari A, Polastri D, Mazza E, Bellani FF, Nicolai N. Clinical stage I nonseminomatous germ cell tumors of the testis in childhood and adolescence: an analysis of 31 cases. *J Pediatr Hematol Oncol.* 2002 Aug-Sep;24(6):454-8.
- 62: Casanova M, Ferrari A, Spreafico F, Terenziani M, Massimino M, Luksch R, Cefalo G, Polastri D, Marcon I, Bellani FF. Vinorelbine in previously treated advanced childhood sarcomas: evidence of activity in rhabdomyosarcoma. *Cancer.* 2002 Jun 15;94(12):3263-8.
- 63: Spreafico F, Massimino M, Luksch R, Casanova M, Cefalo GS, Collini P, Ferrari A, Polastri D, Terenziani M, Gasparini M, Fossati-Bellani F. Intensive, very short-term chemotherapy for advanced Burkitt's lymphoma in children. *J Clin Oncol.* 2002 Jun 15;20(12):2783-8.
- 64: Ferrari A, Clerici CA, Spreafico F, Casanova M, Massimino M, Luksch R, Terenziani M, Cefalo G, Polastri D, Bellani FF. Psychological support in children and adolescents with cancer when amputation is required. *Med Pediatr Oncol.* 2002 Apr;38(4):261-5.
- 65: Casanova M, Ferrari A, Gandola L, Orlandi E, Spreafico F, Terenziani M, Navarria P, Luksch R, Massimino M, Cefalo G, Lombardi F, Fossati-Bellani F. Undifferentiated nasopharyngeal carcinoma in children and adolescents: comparison between staging systems. *Ann Oncol.* 2001 Aug;12(8):1157-62.
- 66: Massimino M, Spreafico F, Luksch R, Giardini R. Prognostic significance of p80 and visceral involvement in childhood CD30 anaplastic large cell lymphoma (ALCL). *Med Pediatr Oncol.* 2001 Aug;37(2):97-102.
- 67: Luksch R, Massimino M, Cefalo G, Lombardi F, Ferrari A, Casanova M, Gandola L, Terenziani M, Spreafico F, Fossati-Bellani F. Effects of recombinant human granulocyte-macrophage colony-stimulating factor in an intensive treatment program for children with Ewing's sarcoma. *Haematologica.* 2001 Jul;86(7):753-60.
- 68: Terenziani M, Massimino M, Casanova M, Cefalo G, Ferrari A, Luksch R, Spreafico F, Polastri D, Fontanelli R, Piva L, Fossati-Bellani F. Childhood malignant ovarian germ cell tumors: a monoinstitutional experience. *Gynecol Oncol.* 2001 Jun;81(3):436-40.
- 69: Gatta G, Luksch R, Coleman MP, Corazziari I; EUROCARE Working Group. Survival from acute non-lymphocytic leukaemia (ANLL) and chronic myeloid leukaemia (CML) in European children since 1978: a population-based study. *Eur J Cancer.* 2001 Apr;37(6):695-702.
- 70: Collini P, Sampietro G, Bertulli R, Casali PG, Luksch R, Mezzelani A, Sozzi G, Pilotti S. Cytokeratin immunoreactivity in 41 cases of ES/PNET confirmed by molecular diagnostic studies. *Am J Surg Pathol.* 2001 Feb;25(2):273-4.
- 71: Moroni I, Bedeschi F, Luksch R, Casanova M, D'Incerti L, Uziel G, Selicorni A. Costello syndrome: a cancer predisposing syndrome? *Clin Dysmorphol.* 2000 Oct;9(4):265-8. Review.
- 72: Massimino M, Perotti D, Spreafico F, Luksch R, Garaventa A, Giardini R. Non-ALC peripheral T-cell lymphomas in children: report on two cases and review of the literature. *Haematologica.* 2000 Oct;85(10):1109-11.

- 73: Pession A, Rondelli R, Paolucci P, Pastore G, Dini G, Bonetti F, Madon E, Mandelli F, Zanesco L, Uderzo C, Prete A, Rabusin M, Ugazio A, Di Bartolomeo P, Favre C, Bojd-Faulkner L, Poggi V, Luksch R, Donfrancesco A, Argioli F, La Nasa G, Amici A, Locatelli F. Hematopoietic stem cell transplantation in childhood: report from the bone marrow transplantation group of the Associazione Italiana Ematologia Oncologia Pediatrica (AIEOP). *Haematologica*. 2000 Jun;85(6):638-46.
- 74: Massimino M, Gandola L, Cefalo G, Lasio G, Riva D, Fossati-Bellani F, Gianni MC, Luksch R, Tesoro-Tess JD, Lombardi F. Management of medulloblastoma and ependymoma in infants: a single-institution long-term retrospective report. *Childs Nerv Syst*. 2000 Jan;16(1):15-20.
- 75: Massimino M, Gandola L, Casanova M, Cefalo G, Ferrari A, Luksch R, Riganti G, Lombardi F. Concomitant chemoradiotherapy for childhood poor-prognosis gliomas. *Med Pediatr Oncol*. 2000 Feb;34(2):147-50.
- 76: Casanova M, Ferrari A, Spreafico F, Luksch R, Terenziani M, Cefalo G, Massimino M, Gandola L, Lombardi F, Fossati-Bellani F. Malignant peripheral nerve sheath tumors in children: a single-institution twenty-year experience. *J Pediatr Hematol Oncol*. 1999 Nov-Dec;21(6):509-13.
- 77: Ferrari A, Casanova M, Spreafico F, Luksch R, Terenziani M, Cefalo G, Massimino M, Gandola L, Navarria P, Fossati-Bellani F. Childhood liposarcoma: a single-institutional twenty-year experience. *Pediatr Hematol Oncol*. 1999 Sep-Oct;16(5):415-21.
- 78: Potepan P, Luksch R, Sozzi G, Testi A, Laffranchi A, Danesini GM, Parafioriti A, Giardini R, Spagnoli I. Multifocal osteosarcoma as second tumor after childhood retinoblastoma. *Skeletal Radiol*. 1999 Jul;28(7):415-21.
- 79: Luksch R, Sampietro G, Collini P, Boracchi P, Massimino M, Lombardi F, Gandola L, Giardini R, Fossati-Bellani F, Migliorini L, Pilotti S, Scopsi L. Prognostic value of clinicopathologic characteristics including neuroectodermal differentiation in osseous Ewing's sarcoma family of tumors in children. *Tumori*. 1999 Mar-Apr;85(2):101-7.
- 80: Perotti D, Pettenella F, Luksch R, Giardini R, Gambirasio F, Ferrari D, Fossati-Bellani F, Biondi A. Molecular analysis of 1p32 genetic involvement in pediatric T-cell non-Hodgkin's lymphoma. *Haematologica*. 1999 Feb;84(2):110-3.
- 81: Ferrari A, Casanova M, Massimino M, Luksch R, Cefalo G, Lombardi F, Galimberti S, Riganti G, Fossati-Bellani F. Synovial sarcoma: report of a series of 25 consecutive children from a single institution. *Med Pediatr Oncol*. 1999 Jan;32(1):32-7.
- 82: Perotti D, Corletto V, Giardini R, Parafioriti A, Fossati-Bellani F, Luksch R. Retrospective analysis of ploidy in primary osseous and extraosseous Ewing family tumors in children. *Tumori*. 1998 Jul-Aug;84(4):493-8.
- 83: Massaron S, Seregni E, Luksch R, Casanova M, Botti C, Ferrari L, Martinetti A, Molteni SN, Bellani FF, Bombardieri E. Neuron-specific enolase evaluation in patients with neuroblastoma. *Tumour Biol*. 1998;19(4):261-8.

- 84: Collini P, Sampietro G, Luksch R, Migliorini L, Boracchi P, Scopsi L. Differentiation in paediatric peripheral primitive neuroectodermal tumours of bone. A critical contribution to its assessment. *Virchows Arch.* 1998 Jun;432(6):505-13.
- 85: Salmaggi A, Luksch R, Forno MG, Pozzi A, Silvani A, Boiardi A, Gasparini M, Nemni R. Antineuronal antibodies in patients with neuroblastoma: relationships with clinical features. *Tumori.* 1997 Nov-Dec;83(6):953-7.
- 86: Ferrari A, Casanova M, Massimino M, Luksch R, Piva L, Fossati-Bellani F. The management of paratesticular rhabdomyosarcoma: a single institutional experience with 44 consecutive children. *J Urol.* 1998 Mar;159(3):1031-4.
- 87: Salmaggi A, Nemni R, Pozzi A, Silvani A, Forno MG, Luksch R, Confalonieri P, Boiardi A. Antineuronal antibody in a patient with neuroblastoma and opsoclonus-myoclonus-ataxia: a case report. *Tumori.* 1997 May-Jun;83(3):709-11.
- 88: Casola S, Pedone PV, Cavazzana AO, Basso G, Luksch R, d'Amore ES, Carli M, Bruni CB, Riccio A. Expression and parental imprinting of the H19 gene in human rhabdomyosarcoma. *Oncogene.* 1997 Mar 27;14(12):1503-10. Erratum in: *Oncogene* 1997 Aug 14;15(7):875.
- 89: Miozzo M, Perotti D, Minoletti F, Mondini P, Pilotti S, Luksch R, Fossati-Bellani F, Pierotti MA, Sozzi G, Radice P. Mapping of a putative tumor suppressor locus to proximal 7p in Wilms tumors. *Genomics.* 1996 Nov 1;37(3):310-5.
- 90: Radice P, Perotti D, De Benedetti V, Mondini P, Radice MT, Pilotti S, Luksch R, Fossati Bellani F, Pierotti MA. Allelotyping in Wilms tumors identifies a putative third tumor suppressor gene on chromosome 11. *Genomics.* 1995 Jun 10;27(3):497-501.
- 91: Seregni E, Luksch R, Crippa F, Bruni GF, Bombardieri E. Evaluation of serum osteocalcin and myosin in pediatric patients affected by osteosarcoma and rhabdomyosarcoma. *Int J Biol Markers.* 1994 Oct-Dec;9(4):260-1.
- 92: Pedone PV, Tirabosco R, Cavazzana AO, Ungaro P, Basso G, Luksch R, Carli M, Bruni CB, Frunzio R, Riccio A. Mono- and bi-allelic expression of insulin-like growth factor II gene in human muscle tumors. *Hum Mol Genet.* 1994 Jul;3(7):1117-21.
- 93: Radice P, Pilotti S, De Benedetti V, Mondini P, Miozzo M, Luksch R, Fossati Bellani F, Della Porta G, Pierotti MA. Homozygous intragenic loss of the WT1 locus in a sporadic intralobar Wilms' tumor. *Int J Cancer.* 1993 Aug 19;55(1):174-6.
- 94: Borrello MG, Bongarzone I, Pierotti MA, Luksch R, Gasparini M, Collini P, Pilotti S, Rizzetti MG, Mondellini P, De Bernardi B, et al. *trk* and *ret* proto-oncogene expression in human neuroblastoma specimens: high frequency of *trk* expression in non-advanced stages. *Int J Cancer.* 1993 Jun 19;54(4):540-5.
- 95: Orazi A, Cattoretti G, Soligo D, Luksch R, Lambertenghi-Deliliers G. Therapy-related myelodysplastic syndromes: FAB classification, bone marrow histology, and immunohistology in the prognostic assessment. *Leukemia.* 1993 Jun;7(6):838-47.
- 96: Patriarca C, Orazi A, Massimino M, Luksch R. A cystic partially differentiated nephroblastoma producing alpha-fetoprotein. *Am J Pediatr Hematol Oncol.* 1992 Nov; 14(4):352-5.

- 97: Lambertenghi-Deliliers G, Annaloro C, Soligo D, Oriani A, Pozzoli E, Quirici N, Luksch R, Polli EE. Incidence and histological features of bone marrow involvement in malignant lymphomas. *Ann Hematol*. 1992 Aug;65(2):61-5.
- 98: Miozzo M, Sozzi G, Cariani CT, Di Palma S, Luksch R, Azzarelli A, Pierotti MA, Della Porta G. A synovial sarcoma with t(X;18)(p11;q11) in a patient with Turner's syndrome. *Genes Chromosomes Cancer*. 1992 Mar;4(2):192-3.
- 99: Lambertenghi-Deliliers G, Orazi A, Luksch R, Annaloro C, Soligo D. Myelodysplastic syndrome with increased marrow fibrosis: a distinct clinico-pathological entity. *Br J Haematol*. 1991 Jun;78(2):161-6.
- 100: Soligo D, Luksch R, Quirici N, Foa P, Moneta D, Somalvico F, Lambertenghi Deliliers G. Immunohistochemical evaluation of bone marrow biopsies in myelodysplastic syndromes. *Haematologia (Budap)*. 1991;24(1):39-46.
- 101: Soligo D, Schiró R, Luksch R, Manara G, Quirici N, Parravicini C, Lambertenghi Deliliers G. Expression of integrins in human bone marrow. *Br J Haematol*. 1990 Nov; 76(3):323-32.
- 102: Iurlo A, Foa P, Maiolo AT, Luksch R, Capsoni F, Polli EE. Polycythemia vera terminating in chronic neutrophilic leukemia: report of a case. *Am J Hematol*. 1990 Oct; 35(2):139-40.
- 103: Luksch R, Soligo D, Cerri A, Fina L, Berti E, Lambertenghi Deliliers G. Bone marrow monocytes in histiocytosis X acquire some phenotypic features of Langerhans cells in long term bone marrow cultures. *Virchows Arch A Pathol Anat Histopathol*. 1989;416(1): 43-9.